







Date. 22.12.2015	Constr./draw. JA/EAO	Approved.	Scale. 1:1	Review nr. Rev. 5
Toppsvingvindu i tre/aluminium Top swing fully reversible window with aluminium 109 side karm, 68mm ramme Vertikalsnitt bunn, design trend Sill section, design Trend			Material.	 Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no
Tolerance.: NS-ISO 2768-1-middels.			Replacement for:	
			Replaced of:	





Date. 22.12.2015	Constr./draw. JA/EAO	Approved.	Scale. 1:1	Review nr. Rev. 5
Toppswingvindu i tre/aluminium Top swing fully reversible window with aluminium 109 side karm, 68mm ramme Vertikalsnitt topp, design trend Head section, design Trend			Material.	 Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no
Tolerance.: NS-ISO 2768-1-middels.			Replacement for:	
			Replaced of:	





Date. 22.12.2015	Constr./draw. JA/EAO	Approved.	Scale. 1:1	Review nr. Rev. 5	
Top swing window i tre/aluminium Top swing fully reversible window with aluminium 109 side karm, 68mm ramme Horisontalsnitt side, design trend Side section, design Trend			Material.	 Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 23 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no	
Tolerance.: NS-ISO 2768-1-middels.			Replacement for:		Drawing nr. VUTSA_TR_S
			Replaced of:		





Date. 22.12.2015	Constr./draw. JA/EAO	Approved.	Scale. 1:1	Review nr. Rev. 5
Fest/tonnsvingvindue i tre/aluminium Top swing fully reversible window with aluminium 109x76 mm losholt, 68mm ramme Vertikalsnitt, design trend Horizontal fixed transom section, design Trend Tolerance.: NS-ISO 2768-1-middels.			Material.	 Nordvestvinduet AS N-5713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no
			Replacement for:	Drawing nr. VUTSA_TR_L76
			Replaced of:	





<i>Date.</i> 12.01.2016	<i>Constr./draw.</i> JA/EAO	<i>Approved.</i>	<i>Scale.</i> 1:1	<i>Review nr.</i> Rev. 5
Fast/toppsvingvindu i tre/aluminium 109x76 mm losholt, 68mm ramme Vertikalsnitt, design trend			<i>Material.</i>	 <small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>
			<i>Replacement for:</i>	
<i>Tolerance.:</i> NS-ISO 2768-1-middels.			<i>Replaced of:</i>	




<i>Date.</i> 06.06.2017	<i>Constr./draw.</i> JA/EAO	<i>Approved.</i>	<i>Scale.</i> 1:1	<i>Review nr.</i> Rev. 5	
Fast/toppsvingvindu i tre/aluminium 109x76 mm losholt, 68mm ramme Vertikalsnitt, design trend			<i>Material.</i>	 <small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>	
			<i>Replacement for:</i>		<i>Drawing nr.</i>
			<i>Replaced of:</i>		VUTSA_TR_L76_68O
<i>Tolerance.: NS-ISO 2768-1-middels.</i>					



<i>Date.</i> 22.12.2015	<i>Constr./draw.</i> JA/EAO	<i>Approved.</i>	<i>Scale.</i> 1:1	<i>Review nr.</i> Rev. 5
Toppsvingvindu i tre/aluminium 85mm post, 68mm ramme Horisontalsnitt, design trend			<i>Material.</i>	 Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no
			<i>Replacement for:</i>	
			<i>Tolerance.: NS-ISO 2768-1-middels.</i>	<i>Replaced of:</i>



Date. 22.12.2015	Constr./draw. JA/EAO	Approved.	Scale. 1:1	Review nr. Rev. 5	
Fast/tonnsvingvindu i tre/aluminium Top swing fully reversible window with aluminium Ø 60 mm post, 68mm ramme			Material.	 <small>Nordvestvinduet AS N-6713 ALMENNINGEN Tel +47 57 85 25 80 firmapost@nordvestvinduet.no www.nordvestvinduet.no</small>	
Horizontalsnitt, design trend Vertical fixed post section, design Trend			Replacement for:		Drawing nr. VUTSA_TR_P76
Tolerance.: NS-ISO 2768-1-middels.			Replaced of:		